



| | | | |
|----------------|-------|-------|-----------|
| TEA TREE OIL | GROUP | BM 01 | FUNGICIDE |
| DIFENOCONAZOLE | GROUP | 3 | FUNGICIDE |

REGEV®

This supplemental label expires June 14, 2024 and must not be used or distributed after this date.

THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF APPLICATION. READ THE LABEL AFFIXED TO THE CONTAINER FOR REGEV BEFORE APPLYING. USE OF REGEV ACCORDING TO THIS LABELING IS SUBJECT TO THE USE PRECAUTIONS AND LIMITATIONS IMPOSED BY THE LABEL AFFIXED TO THE CONTAINER FOR REGEV.

ACTIVE INGREDIENTS:

Tea Tree Oil.....40.6%
 Difenoconazole (CAS No. 119446-68-3).....20.3%

OTHER INGREDIENTS:.....39.1%

TOTAL:.....100.0%

This product is formulated as an emulsifiable concentrate (EC) containing 3.33 lbs. of Tea tree oil active ingredient and 1.67 lbs. of difenoconazole active ingredient per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION / PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
 (If you **DO NOT** understand the label, find someone to explain it to you in detail.)

| FIRST AID | |
|---------------------|--|
| If in eyes | <ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. |
| If swallowed | <ul style="list-style-type: none"> Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by a poison control center or doctor. DO NOT give anything by mouth to an unconscious person. |
| If inhaled | <ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. |

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact **1-800-222-1222** for emergency medical treatment information.

See additional Precautionary Statements, Directions For Use, and Storage and Disposal inside booklet.

EPA Reg. No. 86182-5-88783

Manufactured by:

Stockton (Israel) Ltd.
 P.O. Box 3517, 17 Ha'Mefalsim St.
 Petach Tikva, 4951447, Israel

Marketed by:

Summit Agro USA, LLC
 240 Leigh Farm Rd., Suite 415
 Durham, NC 27707
 984-260-0407

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if inhaled. Harmful if swallowed. Causes moderate eye irritation. Avoid breathing vapor or spray mist. Avoid contact with eyes or clothing. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Handlers (including mixers, loaders and applicators) who may be exposed to the concentrate or dilute through application or other tasks must wear:

- waterproof gloves (such as barrier laminate, butyl rubber ≥14 mils, nitrile rubber ≥14 mils, neoprene rubber ≥14 mils, natural rubber ≥14 mils, polyethylene, polyvinyl chloride ≥14 mils, and Viton ≥14 mils)
- long-sleeved shirt and long pants
- socks and shoes, and protective eyewear

Follow manufacturer's instructions for cleaning / maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls: When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS: Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, mammals, and aquatic invertebrates. Drift and runoff may be hazardous to aquatic estuarine/marine organisms in water adjacent to treated areas. For terrestrial uses: **DO NOT** apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean highwater mark. **DO NOT** contaminate water when cleaning equipment or disposing of equipment wash waters or rinsate.

DO NOT discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. **DO NOT** discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or regional office of the EPA.

Surface Water Advisory

This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product may contaminate water through drift or spray in wind. This product has a potential for runoff for several months or more after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential for contamination of water from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall is expected to occur within 48 hours. Sound erosion control practices will reduce this product's potential to reach aquatic sediment via runoff.

PHYSICAL AND CHEMICAL HAZARDS: Combustible. DO NOT use or store near heat or open flame.

DIRECTIONS FOR USE

Use **REGEV** as a foliar spray on the following agricultural commodities and horticultural crops:

| Crop | Target Diseases | Fl. Oz. REGEV/Acre (lb. ai/acre) | Application Instructions |
|--|--|---|--|
| Pome Fruits: Crop Group 11-10 Apple Azarole Crabapple Loquat Mayhaw Hook & Arn. Medlar Pear Asian Pear Quince Chinese Quince Japanese Quince Tejocote Cultivars, varieties, and/or hybrids of these | Foliar Diseases: Alternaria Blotch (<i>Alternaria mali</i>) Apple Blotch (<i>Marsonina coronaria</i>) Apple Scab (<i>Venturia inaequalis</i>) Bitter Rot (<i>Glomerella cingulate</i>) (<i>Colletotrichum</i> spp.) Black Rot, frog-eye leafspot and canker (<i>Botryosphaeria obtusa</i>) Bot Rot (<i>Botryosphaeria dothidea</i>) Brooks Fruit Spot (<i>Mycosphaerella pomi</i>) Bull's Eye Rot (<i>Neofabraea</i> spp.) Cedar-Apple Rust (<i>Gymnosporangium juniper-virginianae</i>) Flyspeck (<i>Schizothyrium pomi</i>) Moldy Core and Core Rot (<i>Alternaria</i> spp., <i>Cladosporium</i> spp.) Pear Scab (<i>Venturia pirina</i>) Powdery Mildew (<i>Podosphaera leucotricha</i>) Sooty Blotch Complex (<i>Geastrumia polystigmatis</i> , <i>Leptodontium elatius</i> , <i>Peltaster fructicola</i>) White Rot (<i>Botryosphaeria dothidea</i>) | 4 – 6 (0.104 – 0.169 lb. TTO; 0.052 – 0.065 lb. difenoconazole) | Make applications in the early stages of plant growth when conditions favor disease. Use the higher listed rate under increased disease pressure. DO NOT make more than two sequential applications of this product before alternating to a fungicide with a different mode of action. USE RESTRICTIONS: Retreatment Interval: The minimum application interval is 14 days. Re-apply at 14 to 21-day intervals or as needed throughout the growing season for preventative control. DO NOT apply more than 6 fl. oz. (0.169 lb. TTO + 0.065 lb. difenoconazole) of this product per application. DO NOT apply more than 25.3 fl. oz. of this product per acre per year (0.33 lb. ai/A/year difenoconazole; 0.676 lb. ai/A/year tea tree oil). DO NOT apply more than 0.33 lb. total of difenoconazole containing products per acre per year. DO NOT apply more than 0.33 lb. total of difenoconazole containing products per acre per year, regardless of formulation or method of application. Pre-harvest Interval: DO NOT apply within 14 days of harvest. |

| Crop | Target Diseases | Fl. Oz. REGEV/Acre (lb. ai/acre) | Application Instructions |
|---|--|---|--|
| Stone Fruits: Crop Group 12-12 Apricot Japanese Apricot Capulin Black Cherry Nanking Cherry Sweet Cherry Tart Cherry Chinese Jujube Nectarine Peach Plum American Plum Beach Plum Chanda Plum Cherry Plum Chickasaw Plum Damson Plum Japanese Plum Klamath Plum Prune Plum Plumcot Sloe Cultivars, varieties, and/or hybrids of these | Foliar Diseases: Alternaria Spot/Fruit Rot (<i>Alternaria alternata</i>) Anthracnose (<i>Colletotrichum</i> spp.) Bacterial Canker (<i>Pseudomonas</i> spp.) Bacterial Spot (<i>Pseudomonas</i> spp.) Brown Rot Blossom Blight and Fruit Rot (<i>Monilinia</i> spp.) Cercospora Leaf Spot (<i>Cercospora</i> spp.) Cherry Leaf Spot (<i>Blumeriella jaapii</i>) Gray Mold (<i>Botrytis cinerea</i>) Jacket Rot, Green Fruit Rot (<i>Botrytis cinerea</i> , <i>Monilinia</i> spp., <i>Sclerotinia sclerotiorum</i>) Powdery Mildew (<i>Podosphaera</i> spp.) (<i>Sphaerotheca pannosa</i>) Rust (<i>Tranzschelia discolor</i>) Rusty Spot (<i>Podosphaera leucotricha</i>) Scab (<i>Cladosporium carpophilum</i>) Shot Hole (<i>Wilsonomyces carpophilus</i>) (<i>Podosphaera leucotricha</i>) Sooty Blotch Complex (<i>Geastrumia polystigmatis</i> , <i>Leptodontium elatius</i> , <i>Peltaster fructicola</i>) White Rot (<i>Botryosphaeria dothidea</i>) | 4 – 8.5 (0.104 – 0.221 lb. TTO; 0.052 – 0.111 lb. difenoconazole) | Make applications in the early stages of plant growth when conditions favor disease. Use the higher listed rate under increased disease pressure. DO NOT make more than two sequential applications of this product before alternating to a fungicide with a different mode of action. USE RESTRICTIONS: Retreatment Interval: The minimum application interval is 14 days. Re-apply at 14 to 21-day intervals or as needed throughout the growing season for preventative control. Pre-harvest Interval: DO NOT apply within 14 days of harvest. DO NOT apply more than 8.5 fl. oz. (0.221 lb. TTO + 0.111 lb. difenoconazole) of this product per application. DO NOT apply more than 34 fl. oz. of this product per acre per year (0.444 lb. ai/A/year difenoconazole; 0.885 lb. ai/A/year tea tree oil). DO NOT apply more than 0.46 lb. total of difenoconazole containing products per acre per year. DO NOT make more than 4 applications per year at the maximum single application rate. |

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

Storage: Store in original container, in a dry, cool place out of direct sunlight and away from heat sources. Keep from overheating or freezing.

Pesticide Disposal: Wastes resulting from this product must be disposed of on site or at an approved waste disposal facility.

Container Handling (For containers ≤ 5 gallons):

Non-refillable container. **DO NOT** reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOTICE TO USER: Seller makes no warranty express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. To the extent consistent with applicable laws, user assumes all risks of use, storage or handling not in strict accordance with label instructions.